EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20020015042".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 09:58
L2	1053	(predict$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L3	9	(predict$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L4	445	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L5	224	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L6	137	"715".clas. ((pre adj render) or (Pre adj fetch$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L7	1722	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L8	71	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L9	156	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13

L10	1	{client computer interface receive input interact$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L11	105	{possible (user with interaction) events).clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L12	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L13	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L14	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L15	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L16	3	{US-20040148565-$ or US-20010027439-$).did. or (US-6154767-$ or US-6725421-$).did.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L17	1	L16 predict	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L18	23	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L19	9	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L20	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L21	58	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L22	9	L18 L19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L23	27	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L24	20	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13

L25	25	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L26	8	L8 L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L27	24	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L28	28	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L29	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L30	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L31	90	("5740430" | "5754939" | "5758087" | "5799150" | "5802292" | "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/04/27 10:13
L32	9	(US-20040148565-$ or US-20010027439-$).did. or (US-6154767-$ or US-6725421-$ or US-6742033-$ or US-5878223-$ or US-5758087-$ or US-6055569-$ or US-6067565-$ or US-6085226-$).did.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L33	9	L32 client	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L34	85	((hypertext) with (markup adj language) with known) NOT ((hypertext adj markup adj language) with (((hypertext) with (markup adj language) with known)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L35	10	(XML navigation).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L36	20	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13

L37	111	(XML) Hierarch$6 (web adj page) (modif $3 same website or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L38	137	"715".clas. ((pre adj render) or (Pre adj fetch$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L39	224	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L40	53	(XML) Hierarch$6 (web adj page) website structure (navigation with flow)	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L41	445	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L42	1053	(predict$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L43	3	(US-20040148565-$ or US-20010027439-$).did. or (US-6154767-$ or US-6725421-$).did.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L44	20	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L45	13	(XML with navigation with flow)	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L46	9	(US-20040148565-$ or US-20010027439-$).did. or (US-6154767-$ or US-6725421-$ or US-6742033-$ or US-5878223-$ or US-5758087-$ or US-6055569-$ or US-6067565-$ or US-6085226-$).did.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L47	9	L46 client	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L48	3193	(XML) Hierarch$6 (web adj page) website	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L49	13	(XML with navigation with flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L50	1	(XML) backid	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13

L51	9747	(XML) Hierarch$6 (web adj page)	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L52	26	(hypertext adj file) with known	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L53	55	(XML) (web adj page) website (modif$3 same Hierarch$6 or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L54	34	(XML) Hierarch$6 (web adj page) website structure (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L55	90	("5740430" | "5754939" | "5758087" | "5799150" | "5802292" | "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/04/27 10:13
L56	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L57	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L58	28	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L59	24	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L60	156	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L61	71	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L62	8	L61 L39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L63	25	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13

L64	20	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L65	27	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L66	23	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L67	9	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L68	9	L66 L67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L69	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L70	1	(client computer interface receive input interact$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L71	58	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L72	9	(predict$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L73	1	L43 predict	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L74	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L75	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L76	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L77	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13

L78	105	(possible (user with interaction) events). clm.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L79	1722	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L80	23	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L81	9	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L82	9	(US-20040148565-$).did. or (US-6154767-$ or US-6085226-$ or US-6067565-$ or US-5878223-$ or US-6055569-$ or US-6742033-$ or US-5758087-$ or US-6725421-$).did.	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L83	9	L82 @ad<"20030930"	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L84	8	L82 @ad<"20030930" interface	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L85	267	@ad<"20030930" (interface with state) ((pre) adj (render or fetch))	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L86	1	@ad<"20030930" (interface with state) ((pre) adj (render or fetch)) generate adj code	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L87	13	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) generate adj code	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L88	67	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L89	2	"20050071777"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			2009/04/27 10:13
L90	2	"20050071777".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/27 10:13
L91	0	@ad<"20030930" (interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L92	0	@ad<"20030930" (interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L93	4	(interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L94	4	(interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L95	1194	@ad<"20030930" (interface) with (pre) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13

L96	438	@ad<"20030930" (interface) with (render) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L97	25	@ad<"20030930" (interface) with (render) GUI predict	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L98	5	@ad<"20030930" (predictive with render) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L99	5	@ad<"20030930" (predictive with render $3) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L100	5	@ad<"20030930" (predictiv$3 with render$3) GUI	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L101	108	@ad<"20030930" (predictiv$3 with render$3)	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L102	56	@ad<"20030930" (predictiv$3 with render$3) interface	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L103	0	@ad<"20030930" (predictiv$3 with render$3) with nterface	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L104	2	@ad<"20030930" (predictiv$3 with render$3) with interface	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L105	0	@ad<"20030930" (pre adj process) with render$3 with interface	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L106	39	@ad<"20030930" (pre adj process) with render$3 interface	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L107	78	@ad<"20030930" (pre adj (render or process)) with render$3 interface	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L108	17	@ad<"20030930" (pre adj (render or process)) with render$3 interface html	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
L109	11	@ad<"20030930" pre-rendered static html	US-PGPUB; USPAT	AND	ON	2009/04/27 10:13
S1	851	(predict$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S2	7	(predict$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S3	379	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S4	171	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55

S5	104	"715".clas. ((pre adj render) or (Pre adj fetch$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S6	1348	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S7	64	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S8	123	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S9	1	(client computer interface receive input interact$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S10	83	(possible (user with interaction) events). clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S11	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S12	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S13	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S14	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S15	4	(US-20040148565-$ or US-20010027439-$).did. or (US-6154767-$ or US-6725421-$).did.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S16	1	S15 predict	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S17	19	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S18	7	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S19	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55

S20	34	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S21	7	S17 S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S22	22	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S23	16	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S24	17	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S25	8	S7 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S26	20	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S27	22	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S28	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S29	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S30	82	("5740430" | "5754939" | "5758087" | "5799150" | "5802292" | "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/15 10:55

S31	10	{US-20040148565-$ or US-20010027439-$).did. or ((US-6154767-$ or US-6725421-$ or US-6742033-$ or US-5878223-$ or US-5758087-$ or US-6055569-$ or US-6067565-$ or US-6085226-$).did.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S32	10	S31 client	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S34	72	((hypertext) with (markup adj language) with known) NOT ((hypertext adj markup adj language) with (((hypertext) with (markup adj language) with known)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 11:12
S35	8	(XML navigation).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 12:26
S36	12	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 14:03
S45	105	(XML) Hierarch$6 (web adj page) (modif $3 same website or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/01/15 15:23
S47	104	"715".clas. ((pre adj render) or (Pre adj fetch$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S48	172	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S49	44	(XML) Hierarch$6 (web adj page) website structure (navigation with flow)	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S50	379	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S51	853	(predict$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S52	4	{US-20040148565-$ or US-20010027439-$).did. or (US-6154767-$ or US-6725421-$).did.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09

S53	12	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S54	8	(XML with navigation with flow)	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S55	10	(US-20040148565-$ or US-20010027439-$).did. or (US-6154767-$ or US-6725421-$ or US-6742033-$ or US-5878223-$ or US-5758087-$ or US-6055569-$ or US-6067565-$ or US-6085226-$).did.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S56	10	S55 client	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S57	2355	(XML) Hierarch$6 (web adj page) website	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S59	8	(XML with navigation with flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S60	1	(XML) backid	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S61	7470	(XML) Hierarch$6 (web adj page)	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S62	25	(hypertext adj file) with known	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S63	53	(XML) (web adj page) website (modif$3 same Hierarch$6 or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S64	34	(XML) Hierarch$6 (web adj page) website structure (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S66	82	("5740430" | "5754939" | "5758087" | "5799150" | "5802292" | "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/17 02:09
S67	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S68	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S69	22	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09

S70	20	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S71	124	{possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S72	64	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S73	8	S72 S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S74	17	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S75	16	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S76	22	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S77	19	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S78	7	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S79	7	S77 S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S80	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S81	1	{client computer interface receive input interact$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09

S82	34	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S83	7	(predict$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S84	1	S52 predict	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S85	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S86	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S87	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S88	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S89	84	(possible (user with interaction) events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S91	1351	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S92	19	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 10:24
S93	7	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 10:24
S94	9	(US-20040148565-$).did. or (US-6154767-$ or US-6085226-$ or US-6067565-$ or US-5878223-$ or US-6055569-$ or US-6742033-$ or US-5758087-$ or US-6725421-$).did.	US-PGPUB; USPAT	AND	ON	2008/01/17 11:04
S95	9	S94 @ad< "20030930"	US-PGPUB; USPAT	AND	ON	2008/01/17 11:04
S96	8	S94 @ad< "20030930" interface	US-PGPUB; USPAT	AND	ON	2008/01/17 11:12
S97	255	@ad< "20030930" (interface with state) ((pre) adj (render or fetch))	US-PGPUB; USPAT	AND	ON	2008/01/17 11:13
S98	1	@ad< "20030930" (interface with state) ((pre) adj (render or fetch)) generate adj code	US-PGPUB; USPAT	AND	ON	2008/01/17 11:14
S99	13	@ad< "20030930" (interface with state) ((pre) adj (render or fetch or process)) generate adj code	US-PGPUB; USPAT	AND	ON	2008/01/17 11:15
S100	60	@ad< "20030930" (interface with state) ((pre) adj (render or fetch or process)) GUI	US-PGPUB; USPAT	AND	ON	2008/01/17 11:15

S101	2	"20050071777"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/08 16:35
S102	2	"20050071777".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 12:09
S103	0	@ad<"20030930" (interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:49
S104	0	@ad<"20030930" (interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:49
S105	4	(interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:49
S106	4	(interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:50
S107	1164	@ad<"20030930" (interface) with (pre) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:50
S108	414	@ad<"20030930" (interface) with (render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:50
S109	23	@ad<"20030930" (interface) with (render) GUI predict	US-PGPUB; USPAT	AND	ON	2008/09/10 15:51
S110	5	@ad<"20030930" (predictive with render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:58
S111	5	@ad<"20030930" (predictive with render $3) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S112	5	@ad<"20030930" (predictiv$3 with render$3) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S113	106	@ad<"20030930" (predictiv$3 with render$3)	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S114	54	@ad<"20030930" (predictiv$3 with render$3) interface	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S115	0	@ad<"20030930" (predictiv$3 with render$3) with nterface	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S116	2	@ad<"20030930" (predictiv$3 with render$3) with interface	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S117	0	@ad<"20030930" (pre adj process) with render$3 with interface	US-PGPUB; USPAT	AND	ON	2008/09/10 16:00
S118	39	@ad<"20030930" (pre adj process) with render$3 interface	US-PGPUB; USPAT	AND	ON	2008/09/10 16:00
S119	76	@ad<"20030930" (pre adj (render or process)) with render$3 interface	US-PGPUB; USPAT	AND	ON	2008/09/10 16:02
S120	16	@ad<"20030930" (pre adj (render or process)) with render$3 interface html	US-PGPUB; USPAT	AND	ON	2008/09/10 16:03
S121	11	@ad<"20030930" pre-rendered static html	US-PGPUB; USPAT	AND	ON	2008/09/10 16:04

4/ 27/ 2009 10:57:48 AM

C:\ Documents and Settings\ stermanini\ My Documents\ EAST\ Workspaces\ 10 Series\ 10_676_846_4.wsp